Foreword

How Forecasts Are Made

Most of the annual streamflow in the Western United States originates as snowfall. This snowfall accumulates high in the mountains during winter and early spring. As the snowpack accumulates, hydrologists estimate the runoff that will occur when it melts. Predictions are based on careful measurements of snow water equivalent at selected index points. Precipitation, temperature, soil moisture and antecedent streamflow data are viewed in conjunction with snowpack data to prepare runoff forecasts. This report presents a comprehensive picture of water supply outlook conditions for areas dependent upon surface runoff. It includes selected streamflow forecasts, summarized snowpack and precipitation data, reservoir storage data and narratives describing current conditions.

Streamflow forecasts are cooperatively generated by Soil Conservation Service and National Weather Service hydrologists. Forecasts become more accurate as more data affecting runoff becomes known. For this reason, forecasts are issued that reflect three future precipitation conditions — Below Normal, Average, and Above Normal. These forecasts are termed reasonable minimum, most probable, and reasonable maximum. Actual streamflow can be expected to fall between the lower and upper forecast values eight out of ten years.

Snowpack data are obtained by using a combination of manual and automated measurement methods. Manual readings of snow depth and water equivalent are taken at locations called snow courses on a monthly or semi-monthly schedule during the winter. In addition, snow water equivalent, precipitation, temperature, and other parameters are monitored on a daily basis and transmitted via radio telemetry to central data collection facilities. Both monthly and dally data are used to project snowmelt runoff.

For More information

Copies of Monthly Water Supply Outlook Reports and other reports may be obtained from the states listed below. Because of the limited space, snow survey measurements are not published in monthly reports. An annual snow survey data summary is published by the Soil Conservation Service for each of the western states. Historical snow survey data may be obtained at those same offices.

ports. An annua the western st	l snow survey data summary is published by the Soil Conservation Service for ea ates. Historical snow survey data may be obtained at those same offices.
STATE	ADDRESS
Alaska	201 East 9th Ave., Suite 300, Anchorage, AK 99501-3687

Arizona 201 East Indianola, Suite 200, Phoenix, AZ 85012

Colorado 2490 West 26th Ave., Denver, CO 80211

New Mexico 517 Gold Ave. S.W., Room 3301, Albuquerque, NM 97102

Idaho 304 North 8th Street, Room 345, Boise, ID 83702

Montana 10 East Babcock, Room 443, Federal Building, Bozeman, MT 59715

Nevada 1201 Terminal Way, Room 219, Reno, NV 89502

Oregon 1220 Southwest 3rd Ave., Room 1640, Portland, OR 97208

Utah 4402 Federal Building, 125 South State Street, Salt Lake City, UT 84147

Washington 360 U.S. Court House, Spokane, WA 99201

Wyoming Federal Building, 100 East "B" Street, Casper, WY 82601

In addition to state reports, a Water Supply Outlook for the Western United States is published by the Soil Conservation Service and National Weather Service monthly, January through May. Reports may be obtained from the Soil Conservation Service, West National Technical Center, 511 Northwest Broadway,

Room 547, Portland, OR 97209.

Published by other agencles:

Water Supply Outlook Reports prepared by other agencies include: California — Snow Survey Branch, California Department of Water Resources, P.O. Box 388, Sacramento, CA 95802; British Columbia — The Ministry of Environment, Water Investigations Branch, Parliament Buildings, Victoria, British Columbia, V8V 1X5; Yukon Territory — Department of Indian and Northern Affairs, Northern Operations Branch, 200 Range Road, Whitehorse, Yukon Territory, Y1A 3V1; Alberta, Environment Technical Services Division, 9820 106th St., Edmonton, Alberta T5K 2J6.

Utah Water Supply Outlook

and

Federal - State - Private Cooperative Snow Surveys

issued by

Wilson Scaling Chief Soil Conservation Service Washington, D. C.

Released by

Francis T. Holt State Conservationist Soil Conservation Service Salt Lake City, Utah

in cooperation with

Utah State Department of Natural Resources
Robert L. Morgan D. Larry Anderson
State Engineer Division of Water Resources

Prepared by


Jon G. Werner
Snow Survey Supervisor
Soil Conservation Service
125 So. State St., Fed. Bldg.
P. O. Box 11350
Salt Lake City, Utah 84147

Programs and assistance of the United States Department of Agriculture are available without regard to race, creed, color, sex, age, or national origin.

TABLE OF CONTENTS

STATE STREAMFLOW PROSPECTS MAP 1
STATE GENERAL OUTLOOK 2
BASIN OUTLOOK AND CONDITIONS
BEAR RIVER BASIN 4
WEBER & OGDEN WATERSHEDS 6
UTAH LAKE, JORDAN RIVER & TOOELE VALLEY 8
UINTAH BASIN & DAGGET SCD's 10
CARBON, EMERY, WAYNE, GRAND & SAN JUAN CO 12
SEVIER & BEAVER RIVER BASINS 14
E. GARFIELD, KANE, WASHINGTON & IRON CO 16
SNOW MEASUREMENT DATA 18
SNOWPACK PROGRESS GRAPH 21
1007 CNOWDACK COMPARISON

Streamflow Prospects for Utah



- 1 BEAR RIVER BASIN
- 2 WEBER & OGDEN WATERSHEDS IN UTAH
- 3 UTAH LAKE, JORDAN RIVER & TOOELE VALLEY
- 4 UNITAH BASIN & DAGGET SCD'S
- 5 CARBON, EMERY, WAYNE, GRAND, & SAN JUAN CO. 6 SEVIER & BEAVER RIVER BASINS
- 7 E. GARFIELD, KANE, WASHINGTON, & IRON CO.

GENERAL OUTLOOK

SUMMARY:

Heavy, late February snowfall improved the snowpack in southern and eastern Utah but only brought the snowpack up to 70-80% of normal for March 1. Northern Utah watersheds have only 65-70% of normal snow water. Streamflow forecasts remain generally below average but reservoir storage is above average in most areas.

SNOWFACK:

The snowpack across the State increased 10% more than usual during February. The increases, however, were not evenly distributed. Bear and Weber River watersheds only received about 80% of the usual February increase while southeastern Utah received almost 75% more than the normal increase during the month. Snow surveys conducted near March 1 indicate the snowpack is still below to much below normal in most areas of the State. Increases ranging from 171 to 336% of normal would be required in March just to bring the snowpack to average by the first of April. With normal increases in March the April 1 snowpack will only range from 64 to 87% of average across the State.

PRECIPITATION:

Precipitation at mountain stations ranged from generally below normal on the Bear and Weber River watersheds to above to much above normal over the remainder of the State. Valley precipitation ranged from less than 50% of normal on some of the stations in northeastern Utah to almost 250% of normal in the southeastern area of the State. Seasonal precipitation, October-February, ranges from less than 50% on a strip from Bear Lake south to the Spanish Fork drainage to 50-80% in western and the remainder of northern Utah. The eastern half of the State ranges from near to above normal.

RESERVOIRS:

Stored water in 26 key reservoirs in Utah is 127% of average for the end of February. All reservoirs sampled which have established averages were above average except Hyrum which was 93% of average. About one-quarter of the reservoirs sampled were reported as full. The only area where filling is doubtful and water shortages are likely is in extreme southwestern Utah where late February storms have helped but much more is needed.


STREAMFLOW:

Forecasts of spring and summer streamflow are still generally below to much below average. Some stations on the Sevier are still forecast above average, however, as are the Colorado and San Juan Rivers. Most forecasts are slightly higher than last month but forecasts on the Ogden, Provo R.-Utah Lake, Jordan, and Price Rivers have been reduced, Major streams which originate outside of Utah, namely the Colorado, Green and San Juan Rivers, have slightly lower forecasts than a month ago.

Forecasts prepared for this bulletin represent cooperative efforts of the Soil Conservation Service and the National Weather Service in an effort to provide the best possible service to water users and managers.

Bear River Basin

Mountain snowpack* (inches)



*Based on selected stations

Maximum	Average	
Minimum	Current	

WATER SUPPLY OUTLOOK:

Snowpack on the Bear River watershed increased only about 80% as much as usual during February. March 1 snow surveys indicate Bear River snowpack is only 57% of average. Logan River snowpack is 48% of normal. Streamflow forecasts are generally the same or slightly greater than last month with the exception of Cub River which decreased slightly. Forecasts range from 27 to 82% of average, Reservoir storage is good with all reservoirs near to much above average for the end of February.

For more information contact your local Soil Conservation Service office: Tremonton Field Office 801-257-5403 Logan Field-Office 801-753-5616

BEAR RIVER BASIN

STREAMFLOW FORECASTS

		SIKEA	MFLUM FUKE	CASTS					
FORECAST POINT	FORECAST PERIOD	AVG.		MOST PROBABLE (% AVG.)			REAS. MIN. (1000AF)	REAS. MIN. (% AVG.)	
BEAR RIVER near UT-WY Stateline	APR-JUL	116.0	95,0	82	121.0	104	74.0	64	
BEAR near Woodruff	APR-JUL	144.0	88.0	61	144.0	100	55.0	38	
WOODRUFF CREEK near Woodruff	APR-JUL	17.3	9.5	55	14.0	81	5.0	29	
BIG CREEK near Randolph	APR-JUL	5,4	3,0	57	6.0	113	1.0	19	
BEAR near Randolph	APR-JUL	126.0	7070	56	141.0	112	25.0	20	
THOMAS FORK near Stateline	APR-SEP	37,0	10,0	27	19.0	51	1.0	3	
SMITHS FORK near Border	APR-SEP	122.0	65.0	53	94.0	77	34.0	30	
BEAR RIVER near Harer	APR-SEP	326.0	150.0	46	241.0	74	72.0	22	
OGAN RIVER near Logan	APR-JUL	122.0	80.0	66	103.0	84	59.0	48	
BLACKSMITH FORK near Hyrum	APR-JUL	57.0	35.0	61	54.0	95	17.0	30	
ITTLE BEAR RIVER near Paradise	APR-JUN	42.0	27.0	64	43.0	102	11.0	26	
CUB RIVER near Preston	APR-JUL	46.6	25.0	53	43.0	92	14.0	30	
RESERVOI	R STORAGE	(1000AF)	 		WATERSHED	SNOWPACK	ANALYSIS	***
	USEABLE I		BLE STORAG				NO.		R AS % OF
RESERVOIR		THIS YEAR	LAST YEAR	AVG.	HATERSHED		COURS AVG'D		AVERAGE
BEAR LAKE	1421.0	1051.5	105747	992.5	BEAR RIVER	, UPPER IN U	ITAH 6		68
IYRUM	15.3	10.0	10.7	10.8	BEAR RIVER	, LOWER IN U	R HAT	35	52
ORCUPINE	11.3	10.8	9,3	3.7	BEAR RIVER	DRAINAGE IN	UT 13	36	67
OODRUFF NARROWS	55.8	50.0	94,2		BEAR RIVER	, UPPER (abo	ve 12	44	64
OODRUFF CREEK	3.5	3,6			BEAR RIVER	LOWER (bel	ow 17	34	52
					BEAR RIVER	DRAINAGE	27	97	56
				l	LOGAN RIVE	R	5	32	48
					RAFT RIVER		3	51	63
	1								

BEAR RIVER BASIN

87


^{1 -} Reas. max. and reas. min. forecasts are for 5% and 95% exceedance levels and also (2) below.

^{2 -} Corrected for upstream diversions or changes in reservoir storage.

The average is computed for the 1961-85 base period.

Weber & Ogden Watersheds

Mountain snowpack* (inches)



*Based on selected stations

Maximum	Average	
Minimum	Current	***************************************

WATER SUPPLY OUTLOOK:

Weber River snowpack, relative to average, is slightly improved from last month. The Ogden River, however, went from 63% of average on February 1 to 56% on March 1. April 1 snowpack will only end up at 70% of average if March precipitation is normal. Forecasts of spring and summer streamflow followed the snowpack trends. Weber River forecasts increased slightly while forecasts on the Ogden River decreased. Fore- casts range from 64 to 87% of average. Reservoir storage is 82% of capacity and 135% of average.

For more information contact your local Soil Conservation Service office: Layton Sub Office 801-544-9144

WEBER & OGDEN WATERSHEDS in Utah

STREAMFLOW FORECASTS

# # # # # # # # # # # # # # # # # # #	FORECAST		MOST	HOST	REAS.	REAS.	REAS,	REAS.		
FORECAST POINT	PERIOD	AVG.	PROBABLE	PROBABLE	MAX.	MAX. (% AVG.)	MIN.	HIN.		
WEBER RIVER near Oakley	APR-JUN	107.0	85.0	79	112.0	105	61.0	57		
ROCKPORT RESERVOIR inflow	APR-JUN	120.0	84.0	72	128.0	107	50.0	42		
CHALK CREEK near Coalville	APR-JUN	41.0	92.0	78	45.0	110	20.0	49		
WEBER RIVER near Coalville	APR-JUN	127,0	91.0	72	128.0	101	58.0	46		
LOST CREEK near Croyden	APR-JUN	15,6	11.0	71	18,0	115	4.0	26		
EAST CANYON CREEK near Morgan	APR-JUN	29.0	21.0	72	31.0	107	13.0	45		
HARDSCRABBLE CREEK near Porterville	APR-JUN	18,4	16.0	87	25.0	136	7.0	38		
SOUTH FORK OGDEN RIVER near Huntsvil	APR-JUN	58.0	40.0	69	54.0	93	24.0	41		
PINEVIEW RESERVOIR inflow	APR-JUN	122.0	78.0	64	102.0	84	49.0	40		
WHEELER CREEK near Huntsville	APR-JUN	6,3	4.2	67	5,0	79	3.0	48		
ECHO RESERVOIR inflow	APR-JUN	163.0	120.0	74	167.0	102	78.0	48		
MEBER RIVER at Gateway	APR-JUN	328.0	225.0	69	300.0	91	150.0	46		
FARMINGTON CREEK near Farmington	APR-JUL	872	5.7	70	10.0	122	2.0	24		
RESERVOIR				 		WATERSH	ED SNOWPAC	CK ANALYSI	 S	
	USEABLE I	ww USEA	BLE STORAG	E **	11ATERDUER	, p, c, p, t, m et m et m et m	NO.		S YEA	R AS % OF
RESERVOIR	CAPACITY!	YEAR	LAST YEAR	AVG, I	HATERSHED				T YR.	AVERAGE
CAUBEY	6,9	4,4	3.5	2,3	OGDEN RIV		4	39		56
EAST CANYON .	48.1	43.6	4315	3576	WEBER RIVE	ER	14	46		67
ЕСНО	73.9	63.4	46.0	49.5	WEBER & OC	DEN WATERS	HEDS 18	44		64
LOST CREEK	20.0	17.6	12,3	13.4						
PINEVIEH	110.1	43.18	94.7	48.7						
ROCKPORT	60.9	42.0	39.8	30.2						


 ^{1 -} Reas. max. and reas. min. forecasts are for 5% and 95% exceedance levels and also (2) below.
 2 - Corrected for upstream diversions or changes in reservoir storage.
 The average is computed for the 1961-85 base period.

165.5

WILLARD BAY

Utah Lake, Jordan River & Tooele Valley

Mountain snowpack* (inches)



*Based on selected stations

Maximum	Average	
Minimum	Current	

WATER SUPPLY OUTLOOK:

Snowpack increased 26% more than usual during February over the Utah Lake-Jordan River and Tooele Valley Snowpack now ranges from 58% of the March 1 average on the Provo River to 89% for the Tooele Valley watersheds. Streamflow forecasts are generally slightly less or equal to last month with the exception of Strawberry Res. Inflow which increased slightly. Forecasts range from 50 to 96% of average. Reservoir storage is 130% of the end of February average.



UTAH LAKE, JORDAN RIVER & TOOELE VALLEY

STREAMFLOW FORECASTS

			III COX TORE						
FORECAST POINT	FORECAST PERIOD	AVG.	MOST PROBABLE (1000AF)	MOST PROBABLE (% AVG.)	REAS. MAX. (1000AF)	REAS. MAX. (% AVG.)	REAS. MIN. (1000AF)	REAS. HIN. (% AVG.)	
PROVO near Hailstone	APR-JUL	113.0	B240	73	115,0	102	55.0	49	
PROVO below Deer Creek Dam	APR-JUL	133.0	90,0	68	125.0	94	51,0	38	
AMERICAN FORK near American Fk.	APR-JUL	34.0	27.0	79	33.0	97		68	
HOBBLE CREEK near Springville	APR-JUL	29.3	12.0	52					
STRAWBERRY RESERVOIR inflow	APR-JUL	60,0	41.0	6B	54.0	90	27.0	45	
PAYSON CREEK near Payson	APR-JUL	7,3	4.5	62					
UTAH LAKE inflow	APR-JUL	295.0	280.0	95	363.0	123	200.0	88	
LITTLE COTTONWOOD CRK near SLC	APR-JUL	41.0	30.0	73	37.0	90	25.0	61	
BIG COTTONMOOD CRK Fleer SLC	APR-JUL	39.0	34.0	92	40.0	103	29.0	74	
PARLEY'S CEEK near SLC	APR-JUL	17.0	12.5	74	18,0	106	9.0	53	
MILL CREEK near SLC	APR-JUL	4.9	616	96	9.0	130	5.0	72	
EMIGRATION CREEK near SLC	APR-JUL	4,6	2,6	57					
CITY CREEK near SLC	APR-JUL	7.0	6.3	70	8.0	89	5.0	56	
SETTLEMENT CREEK near Tooele	APR-JUL	2,3	1.8	78	3,0	130	0.5	22	
SOUTH WILLOW CREEK near Grantsville	APR-JUL	3,0	1.9	63	4.0	133	0,5	17	
VERNON CREEK near Vernon	APR-JUN	1,2	0.6	50	1.3	107	0.2	16	
RESERVOIR		·	1000AF)	1	n (na bin din) in line din 300 din sau an			(ANALYSIS	
RESERVOIR	USEABLE CAPACITYI	** USEA	BLE STORAG LAST	1	WATERSHED		NO. COURS	THIS Y	EAR AS % OF
	 	YEAR	YEAR	AVG.)			AVG		R. AVERAGE
DEER CREEK	147.7	130.1	139.3	95.5	PROVU RIVE	K & UIAH LI			56
GRANTSVILLE	3,3	312	2.3		PROVO RIVE	R	5	37	58
BETTLEMENT CREEK	1.0	0,19	0.8	0.5	JORDAN RIV	ER & GREAT	SALT 6	67	91
GTRANBERRY-ENLARGED	951.4	489.3	354.7		TOOELE VAL	LEY WATERSI	HEDS 4	104	89
JTAH LAKE	883.9	673.0	1050.7	689.A	UTAH LAKE,	JORDAN RIV	JER & 20	59	71


^{1 -} Reas. max. and reas. min. forecasts are for 5% and 95% exceedance levels and also (2) below. 2 - Corrected for upstream diversions or changes in reservoir storage.

VERNON CREEK

The average is computed for the 1961-85 base period.

Uintah Basin & Dagget SCD's

Mountain snowpack* (inches)



*Based on selected stations

Maximum	Average	
Minimum	Current	

WATER SUPPLY OUTLOOK:

Snowpack increase during February was 157% of normal. March I snowpack on the Uintas ranges from 47% of average on the Strawberry River to 126% of average on Sheep Creek. Streamflow forecasts for streams originating in Utah have generally increased from the levels forecast last month reflecting the improved snowpack picture. Forecasts range from 61 to 105% of average. Reservoir storage in reservoirs for which an average is established ranges from 143 to 166% of normal for this time of year.

or more information contact your local Soft Consenvation Service office; Roosevelt Picie Diffice - 801-722-4621

UINTAH BASIN & DAGGET SCD'S

STREAMFLOW FORECASTS


FORECAST POINT	FORECAST PERIOD	25 YR. AVG. (1000AF)	MOST PROBABLE (1000AF)	MOST PROBABLE (% AVG.)		REAS. MAX. (% AVG.)	REAS. MIN. (1000AF)	REAS. MIN. (% AVG.)		
4 4 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5		1113611111111111			*******					
DUCHESNE RIVER near Tabiona	APR-JUL		88.0		105+0		68.0			
DUCHESNE RIVER near Duchesne	APR-JUL	189,0		81	192.0		116.0	61		
STRAMBERRY RIVER at Duchesne	APR-JUL	69.0		61	56.0	81	28.0	41		,
ROCK CREEK near Mountain Home	APR-JUL	95.0	84,0	88	107.0	113	67.0	71		
CURRANT CREEK near Fruitland	APR-JUL	20.0	13.5	88	18.0	90	9,0	45		
LAKEFORK RIVER near Mountain Home	APR-JUL	70.0	62.0	89	80.0	114	47.0	67		
YELLOWSTONE RIVER near Altonah	APR-JUL	66.0	62.0	94	86+0	130	38.0	58		
DUCHESNE near Myton	APR-JUL	223.0	165.0	74	234.0	105	78.0	35		
WHITE ROCKS RIVER near Whiterocks	AFR-JUL	60.0	69.0	105	88+0	147	38.0	63		
UINTAH RIVER near Neola	APR-JUL	86.0	83,0	97	118.0	137	48.0	56		
DUCHESNE near Randlett	APR-JUL	257.0	200.0	78.	382.0	149	. 18.0	7		
WEST FORK DUCHESNE RIVER near Hanna	APR-JUL	28.0	20.0	71	25.0	89	14.0	50		
HENRY'S FORK near Manila	APR-SEP	51.0	47.0	92	67.0	131	31.0	61		
BLACK'S FORK near Millburne	APR-JUL	90.0	7810	97	110.0	122	50+0	56		
FLAMING GORGE RESERVOIR inflow	APR-SEP	1445.0	1100,0	76	1476+0	102	768.0	53		
ASHLEY CREEK near Vernal	APR-JUL	52.0	51.0	98	64+0	123	41.0	79		
	- but by grb last day day free free gra gra					44! 4! 4 4	n hai she hai soo dha wa dha dha sha sh	,		
RESERVOIR		(CK ANALYSI		
DECEMBER	USEABLE !	** USEA	BLE STORAG	E ** 1			Ю,	THI	S YEAR	AS % OF
RESERVOIR		YEAR	LAST YEAR	AVG. I	WATERSHED		AVG	'D LAS	T YR.	AVERAGE
FLAMING GORGE	3749.0	2969.3	295870		UPPER GREE	N RIVER it	1 U1AH 13	77		95
MOON LAKE	35.8	27.9	2148	16.81	ASHLEY CRE	EK	2	71		85
RED FLEET	26.0	17.5	20.7		BLACK'S FO	RK RIVER	3	76		96
STEINAKER	33+3	32.2	32.6	21.1	SHEEP CREE	:K	2	114		126
STARVATION	165.3	160.3	147.3	112.1	DUCHESNE F	IVER	16	. 46		71
STRAHBERRY-ENLARGED	951,4	689.3	354.7		LAKE FORK-	YELLOWSTON	NE CRE 3	45		82
					STRANBERRY	RIVER	4	31		47
					UINTAH-WHI	TEROCKS R	IVERS 4	54		82
	6	a la company			UINTAH BAS	SIN & DAGGE	ET SCD 29	57		80
		دود		1						

^{1 -} Reas. max. and reas. min. forecasts are for 5% and 95% exceedance levels and also (2) below. 2 - Corrected for upstream diversions or changes in reservoir storage.

The average is computed for the 1961-85 base period.

Carbon, Emery, Wayne, Grand, and San Juan Co.

Mountain snowpack* (inches)



*Based on selected stations

Maximum Average ----

WATER SUPPLY OUTLOOK:

Southeastern Utah snowpack improved during February especially on the Blues and La Sals where the snow-pack is now greater than average for March 1. Snow-pack now ranges from 51% of average on the Price River to 132% on the La Sal Mountains. Streamflow forecasts for Utah streams north of Cottonwood Creek have decreased while those south of Cottonwood Creek have increased from last month. Forecasts now range from 46 to 119% of average. All reservoirs for which data are available are reporting above average.

For more information contact your local Soft Conservation Service office: Price Field Office 801-537-0041

CARBON, EMERY, WAYNE, GRAND, & SAN JUAN Co.

STREAMFLOW FORECASTS


FORECAST POINT	FORECAST PERIOD	AVG.	MOST PROBABLE (1000AF)	MOST PROBABLE (% AVG.)		REAS, MAX, (% AVG.)	REAS. MIN. (1000AF)	REAS. MIN. (% AVG.)	
GOOSEBERRY CREEK near Scofield	APR-JUL	12,0	6.6	55	11,0	92	3.0	25		
SCOFIELD RESERVOIR inflow	APR-JUL	46.0	24.0	52	36.0	78	14.0	30		
PRICE near Heiner	APR-JUL	78.0	34.0	46						
HUNTINGTON CREEK near Huntington	APR-JUL	55.0	33.0	60	48.0	87	23.0	42		
COTTONWOOD CREEK near Orangeville	APR-JUL	47.0	32.0	68	48,0	102	16.0	34		
FERRON CREEK near Ferron	APR-JUL	41.0	28.0	48	43.0	105	13.0	32		
MUDDY CREEK near Emery	APR-JUL	21.0	15.0	71	23.0	110	7.0	33		
COLORADO near Cisco, UT	APR-JUL	3443.0	3500.0	102	4877 10	142	2433.0	71		
GREEN near Green Rv., UT	APR-JUL	9176.0	2800.0	88	3658.0	115	1942.0	61		
MILL CREEK near Moab	APR-JUL	5.5	6.0	109	8.0	145	4,0	73		
NAVAJO RESERVOIR inflow	APR-JUL	764.0	825.0	108	1138.0	149	558,0	73		
SAN JUAN near Bloff, UT	APR-JUL	1091.0	1300.0	119	1813.0	166	875.0	80		
SEVEN MILE CREEK near Fish Lake	APR-JUL	6.5	5,5	65	8.0	123	3.0	46		
RESERVOI	R STORAGE		1000AF)	 		HATERSH	IED SNOWPAC	K ANALYS		
DECEDINTO	USEABLE CAPACITY!		BLE STORAG		WATERSHED		NO. COUR		IS YEA	AR AS % C
RESERVOIR		YEAR	YEAR	AVG. 1	MAILMONES		AVG		ST YR	AVERAC
HUNTINGTON NORTH	3.9	410	2.9	3,0	PRICE RIVE	:R	3	3	7	51
JOE'S VALLEY	54.6	4518	38,3	44.6	SAN RAFAEL	RIVER	7	4	\$	63
KEN'S LAKE	2.3	0.9	1,3	u	MUDDY RIVE	R	2	4	6	56
HILL SITE	16.7	12.0	912	4.0	FREMONT RI	VER	4	8	5	91
SCOFIELD	65.8	52.7	4913	92,2	LASAL MOUN	TAINS	2	13	0	132
					BLUE MOUNT	AINS	2	10	7	105

WILLOW CREEK - WHITE RIVE CARBON, EMERY, WAYNE, GRA 21

 ^{1 -} Reas. max. and reas. min. forecasts are for 5% and 95% exceedance levels and also (2) below.
 2 - Corrected for upstream diversions or changes in reservoir storage.
 The average is computed for the 1961-85 base period.

Sevier & Beaver River Basins

Mountain snowpack* (inches)



*Based on selected stations

Maximum	Average	
Minimum	Current	

WATER SUPPLY OUTLOOK:

Snowpack on the Sevier River watershed increased 30% more than usual during February. If March precipitation is normal April 1 snowpack should be about 80% of average. Snowpack percentages now range from 68% on the Lower Sevier to 89% on the East Fork. Water supply forecasts have generally increased from last month except for Ephraim Creek and Pleasant Creek which are substantially less. Reservoir storage is reported at 95% of capacity and 176% of average. Gunnison and Otter Creek are full.

or more information contact your local Soil Conservation Service office: Ricoffeld Field Office: BOI-896-6251 Fillmore Field Office: BOI-741-5555

SEVIER & BEAVER RIVER BASINS

STREAMFLOW FORECASTS

FORECAST POINT	FORECAST	AVG.		MOST PROBABLE		MAX.	REAS.	REAS, MIN.			
	PERIOD	(1000AF)	(1000AF)	(% AVG.)	(1000AF)	(% AVG.)	(1000AF)	(% AVG.)			
SEVIER at Hatch	APR-JUL	52.0	45.0	87	65.0	125	29.0	56			
SEVIER near Circleville	APR-JUL	44.0	41,0	73							
SEVIER near Kingston	APR-JUL	34.0	27.0	79	54.0	159	7.0	21			
ANTIMONY CREEK near Antimony	APR-JUL	8,9	7.1	80							
E F SEVIER near Kingston	AFR-JUL	24.0	23,0	96	38.0	158	14.0	58			
SEVIER blw Pivte Dam	APR-JUL	5640	50,0	89	87.0	155	19.0	34			
CLEAR CREEK near Sevier	APR-JUL	22,0	15.0	68							
SIGURD to GUNNISON	APR-JUL	44,0	76,0	173	116.0	264	39.0	89			
KINGSTON to VERMILLION DAM	APR-JUN	40.0	50.0	125							
VERMILLION DAM to GUNNISON	MAR-JUN	54.0	86,0	159							
SALINA CREEK at Salina	APR-JUN	19,2	9,1	50							
SEVIER or Gunnison	APR-JUL	99.0	120.0	121							
CHALK CREEK near Fillmore	APR-JUL	16.4	10.0	61	16.0	98	4.0	24			
CHICKEN CREEK near Levan	APR-JUL	3.5	2.2	63	3.0	86	1.0	29			
DAK CREEK near Oak City	APR~JUL	1.6	0.8	50	2.0	125	0.3	19			
EPHRAIM CREEK near Ephraim	APR-JUL	25.0	10.5	42							
PLEASANT CREEK near Pleasant	APR-JUL	11.5	5,5	48							
SALT CREEK near Nephi	APR-JUL	13.5	8,8	65	19.0	141	4.0	30			
BEAVER RIVER near Beaver	APR-JUL	27.0	22.0	81	36.0	133	10.0	37			
NORTH CREEK near Beaver (combined N	APR-JUL	14.6	12,4	85	24.0	164	1.0	7			
MINERSVILLE RESERVOIR inflow	APR-JUN	8,9	810	90	12.0	135	4.0	45			
RESERVOIR STORAGE (1000AF)					I 1 WATERSHED SNOWPACK ANALYSIS I						
	USEABLE !	** USEA	ABLE STORAG	•			ю.	THI	S YEA	R AS	% OF
RESERVOIR	CAPACITY1	THIS YEAR	LAST YEAR	AVG. I	WATERSHED		AVG	RSES D LAS	T YR.	A۱	ERAGE
GUNNISON	20.3	20.13	18.0	14.0	UPPER SEVI	ER RIVER (south 11	9:		.) (E	34
MINERSVILLE (RkyFd)	26.0	21.0	2012	12.9	EAST FORK	SEVIER RIVE	ER 4	101			9
DTTER CREEK	52,6	52,6	52.0	31,2	SOUTH FOR	SEVIER RIV	JER 7	93		6	11
PIUTE	71.8	63+6	6617	41.5	LOWER SEVI	CER RIVER (i	inclu 12	66			18
BEVIER BRIDGE	236.0	227 (6	231.7	119.6	BEAVER RIV	JER	3	55 55)	77

SEVIER & BEAVER RIVER BAS 26

22.3

1775

19.2


PANQUITCH LAKE

72

Reas. max. and reas. min. forecasts are for 5% and 95% exceedance levels and also (2) below.
 Corrected for upstream diversions or changes in reservoir storage.
 The average is computed for the 1961-85 base period.

E. Garfield, Kane, Washington, & Iron Co.

Mountain snowpack* (inches)



*Based on selected stations

Maximum	Average	
Minimum	Gurrent	· · · · · ·

WATER SUPPLY OUTLOOK:

During February the snowpack in southwestern Utah increased 74% more than usual bringing the regional snowpack to 73% of average for March 1. The heavy storm in the last week of the month raised individual snow course percentages from 12 to 68% from pre-storm levels with the greatest increases occurring on the Enterprise-New Harmony drainages. Local streamflow forecasts now range from 70 to 74% of average. Gunlock and Quail Creek reservoirs are up to about 60% of capacity.



E. GARFIELD, KANE, WASHINGTON, & IRON Co.

STREAMFLOW FORECASTS FORECAST 25 YR. MOST TROM REAS. REAS. REAS. REAS. PROBABLE PROBABLE MAX. AVG. MAX. MIN. MIN. FORECAST POINT (1000AF) (1000AF) (% AVG.) PERIOD (1000AF) (% AVG.) (1000AF) (% AVG.) APR-JUN 0.88 50.0 74 75.0 110 23.0 34 VIRGIN near Hurricane SANTA CLARA near Pine Valley APR-JUN 5.0 3.6 72 20.0 14,0 70 22.0 APR-JUL 110 9.0 45 COAL CREEK near Cedar City 8084.0 7500.0 93 10411.0 129 4993.0 LAKE POWELL inflow APR-JUL 42 RESERVOIR STORAGE (1000AF) WATERSHED SNOWPACK ANALYSIS ** USEABLE STORAGE ** NO. THIS YEAR AS % OF USEABLE I THIS LAST HATERSHED COURSES CAPACITYI RESERVOIR YEAR YEAR AVG. 1 AVG'D LAST YR. **AVERAGE** 60 VIRGIN RIVER 5 72 10.4 6.4 GUNLOCK

PARONAN

COAL CREEK

ESCALANTE RIVER

ENTERPRISE TO NEW HARMONY

E. GARFIELD, KANE, WASHIN 12

25002.0 21570.0 22444.0

24.0

NO REPORT

NO REPORT

40,0

LAKE POWELL

QUAIL CREEK

UPPER ENTERPRISE

LOWER ENTERPRISE

95

54

65

160

4

2

124

169

75

167

^{1 -} Reas. max. and reas. min. forecasts are for 5% and 95% exceedance levels and also (2) below.

^{2 -} Corrected for upstream diversions or changes in reservoir storage.

The average is computed for the 1961-85 base period.

SNOW MEASUREMENT DATA

SNOW COLLEGE	F 1 F 14	D.4.77				
SNOW COURSE			DEFILE	CONTENT	ソロカロ	A COLUMN TO STATE OF THE STATE
ASHLEY TWIN LAKES ATWOOD LAKE BEAVER CREEK DIVIDE BEAVER DAMS BEN LOMOND PEAK BEN LOMOND TRAIL BEVAN'S CABIN BIG FLAT BIRCH CROSSING BLACK'S FLAT-U.M. CR BLACK'S FORK BLACK'S FORK BLACK'S FORK BLACK'S FORK BLACK'S FORK BLACK'S FORK						1701-60
ATMOOD LAKES	10500	03/04	48	10.1	14.9	13.6
BEAVER CREEK DIVIDE	10000 8280	03/04	39	8.6	13.8	9.7
BEAVER DAMS	8000	02/28	29	7.1	17.9	10.8
BEN LOMOND PEAK	8000	02/26	20 74	7.0	10.4	10.5
BEN LOMOND TRAIL	6000	02/26	38	20.8 10.2	47.7 22 E	31.2
BEVAN'S CABIN	645 0	03/02	36	11.1	2.8	10.7
BIG FLAT	10290	02/22	44	13.5	22.2	14.5
BLACKIC CLAT U.M. C.	8100	03/05	22	5.0	3.7	6.4
BLACK'S FORK	9400	02/25	32	7.0	10.8	9.4
BLACK'S FORK GS-FF	9200	03/01		6.8E	13.9	11.5
BLACK'S FORK JUNCTN	2040 8930	03/01	26	65	9.3	7.6
BOX CREEK	9300	02/27	20 20	6.6 7 =	8.9	7.6
BRIAN HEAD	10000	02/27	67	17 1	10.8	11.4
BRIGHTON	8750	02/26	63	17.4	14.8	16.5
BROWN DUCK RIDGE	10600	02/28	63	13.8	28.4	47.3
BRYCE CANYON	8000	03/05	18	3.7	1.0	4.6
BUCK FLAT	9800	02/26	42	9.0	18.5	14.8
BICKBOARD ELAT	9700	03/04	45	10.8	18.0	13.5
BUG LAKE	7000 7050	03/03	50	13.0	10.0	10.8
BURT'S-MILLER RANCH	7900	02726	38	8.9	27.8	15.5
CAMP JACKSON	8600	02/25	17	3.8	5.5	4 6
CASTLE VALLEY	9580	02/23	49	10.4	11.8	11.5
CHALK CREEK #1	9100	02/28	70 64	10.3	9.7	11.4
CHALK CREEK #2	8200	02/28	40	10.2	30.9	18.7
CHALK CREEK #3	7500	02/28	22	5.4	8.3	42.2
CHEPETA - NUTTEONS - 1 - 1	10300	02/28	45	9.2	16.6	10.6
BLACK'S FORK BLACK'S FORK GS-EF BLACK'S FORK JUNCTN BOX CREEK BRIAN HEAD BRIGHTON BROWN DUCK RIDGE BRYCE CANYON BUCK FLAT BUCK PASTURE BUCKBOARD FLAT BUG LAKE BURT'S-MILLER RANCH CAMP JACKSON CASTLE VALLEY CHALK CREEK #1 CHALK CREEK #2 CHALK CREEK #3 CHEPETA CHEPETA-WHITERKS. LK CLEAR CREEK MEADOWS CLEAR CREEK RIDGE #1 CLEAR CREEK RIDGE #1 CLEAR CREEK RIDGE #3 CURRANT CREEK DANIELS-STRAWBERRY DESERET PEAK	10350	03/04	47	9.2	16.2	12.6
CLEAR CREEK RINGE #1	2420 9200	2/27	58	13.8	24.0	19.3
CLEAR CREEK RIDGE #2	2000 8000	02/2/	37	8.6	21.3	16.2
CLEAR CREEK RIDGE #3	6600	02/26	32	7.3	13.6	12.3
CURRANT CREEK DANIELS-STRAWBERRY	8000	02/27	19	3.1 3.4	7.8 13.7 20.6	7.5
DANIELS-STRAWBERRY	8000	02/27	21	5.3	13.7 20.6	8.9
DESERET PEAK DILL'S CAMP DONKEY RESERVOIR DRY BREAD FOND	9250				20.6	12.9
DONNEY DECEMBER	9200	02/26	32	5.6	13.2	10.6
DEV BREAD BOARD	9800	02/27	52	12.1	13.2 6.2 24.0 10.8 35.1 25.7	6.7
DUCK CREEK R S	8350 8300	02/26	25	5.6	24.0	16.0
EAST SHINGLE LAKE	9800	03/01	 	9.8E	10.8	11.8
EAST WILLOW CREEK	8250	03/04	51 27	14.3	-	22.8
DUCK CREEK R.S. EAST SHINGLE LAKE EAST WILLOW CREEK FARMINGTON CANYON FARMINGTON LANGE	8000	02/26	57	16.0	~ ~=	2.9
FARMINGTON CANYON L.	6950	02/26	48	13.4	35.1 25.7	26.1
FARNSWORTH LAKE FISH LAKE		02/25	60	15.7	13.6	15.5
FIVE POINT LAKE	8700	02/25	23	5.0	8.2	7.4
G.B.R.C. HEADQUARTER	11000	03/04	54	12.4	20.2	13.1
G.B.R.C. MEADOWS	8700 10000	02/26	40	10.1	16.1.	14.2
GARDEN CITY SUMMIT	7600	02/26 02/26	55	13.3	22.3	20.0
GEORGE CREEK	8840	2/27	28 54	5.6	24.9	15.4
GOOSEBERRY R.S.	8000	02/25	36	12.4 8.6	23.2	-
HARDSCRABBLE	6700	02/26	36	9.6	8.6 23.0	10.1
HARRIS FLAT	7700	02/27	26	6.1	7.0	17.0 7.9
HAYDEN FORK	9400	02/28	36	9.3	18.8	12.9
	10000	03/04	40	10.8	13.2	11.3
HEWINTA G.S.	9500	03/01	31	7.7	9.5	7.5
HOLE-IN-THE-ROCK HOLE-IN-THE-ROCK GS	9150 9300	02/28	25	5,2	5.8	4.6
HICKERSON PARK	8300 9100	02725	en en		-	2.3
HOBBLE CREEK SUMMIT	7420	02/28 02/27	. 32	6.7	6.4	5.5
HORSE RIDGE		02/26	25 40	5.6 10.4	18.4	12.9
HUNTINGTON-HORSESHOE	9800	02/26	46	13.0	30.3 27.5	18.9
			. =		-1.0	21.3

SNOW MEASUREMENT DATA (cont.)


SNOW COURSE	ELEV.	DATE	SNOW DEFTH	CONTENT	LAST YEAR	1961-85
INDIAN CANYON	9100	02/26	38	7.3	18.4	10.8
JOHNSON VALLEY	8850	02/25		3.2	6.8	6.4
KILFOIL CREEK	7300	02/26 02/22	34	8.0	18.0	12.5 13.1
KIMBERLY MINE(UPPER)				11.7	14.7	13.1
KING'S CABIN (UPPER)		03/01	30	6.7	9.8	8.5 17.4
KLONDIKE NARROWS	7400	02/26	38	9.1		
KOLOB-CRYSTAL	9250	02/22	33	9.2 10.9	15.6	17.4
LAKEFORK BASIN LAKEFORK MOUNTAIN #1	11100	03/04			20.2	17.7
LAKEFORK MOUNTAIN #3		02/28 02/28	38 21	8.9 3.4	17.6	9.4
LAMES CANYON	7400	02/28		41 2	12.1 13.4	5.7 14.2
LASAL MOUNTAIN LOWER		02/26		11.3 8.9	6.2	7.8
LASAL MOUNTAIN (UPP)		02/26			14.6	12.6
LIGHTNING LAKE	10500	03/04	68 69	15.2	23.5	19.8
LILY LAKE	9050	02/28	39	10.1	15.4	11.9
LITTLE BEAR (LOWER)	6000	02/26	27	6.7	10.5	9.5
LITTLE BEAR (UPPER) LITTLE GRASSY CREEK	6550	02/26	31	7.7	16.3	11.2
		02/22	0	• 0	0.0	4.0
LONG FLAT	8000	02/22		5.4	3.2	6.0
LONG VALLEY JCT.	7500	02/27	11	1.5	0.0	4.9
LOST CREEK RESERVOIR				3.4	7.8	5.8
MAMMOTH-COTTONWOOD	8800	02/26	39	9.3	27.5	18.4
MERCHANT VALLEY (UP) MIDDLE BEAVER CREEK		02/22	24	6.4	13.3	10.5
MIDDLE CANYON	7000	03/02	44	13.4		3.6 11.7
MIDWAY VALLEY	9800	02/27	60	14.3	9.3 18.7	18.1
MILL CREEK	6950	02/27	48	12.9	17.2	16.3
MILL D SOUTH FORK	7400	02/27	44	12.6	16.6	17.2
MONTE CRISTO R.S.	8960	02/26	41	11.1	28.4	21.6
MOSBY MOUNTAIN(LOW)	9500	03/01	30		15.6	8.2
MT.BALDY R.S.	9500	02/26	55	5.4 13.3	24.5	20.2
MUD CREEK #2	8600	02/26	40 20	7.6 4.8	18.5	11.9
OAK CREEK	7760				10.0	11.4
ONE MILE SUMMIT	7330	2/27	16 31	3.1	5.1	6.0
OTTER LAKE	7330 9600 9200	02/22		8.2	17.5	
PANQUITCH LAKE PARADISE PARK	8200 10100	02/27	23	4.5	1.8	
	7500	03/01 03/02	40 43	10.6 12.2	17.0 17.7	11.2 16.0
PAYSON R.S.	8050	02/22	43	10.6	14.1	16.6
PICKLE KEG SPRING		02/25	39	9.0	11.9	14.6
PINE CANYON	8000	02/26	39	9.8	24.2	17.4
PINE CREEK	8800	02/22	46	10.5	12.3	14.0
REDDEN MINE LOWER	8500	02/28	37	10.2	22.1	15.2
RED FINE RIDGE	9200	02/26	42	9.9	17.7	15.0
REES'S FLAT	7300	02/22	22	6.5	11.6	11.2
REYNOLDS PARK	10400	03/04	60	13.2	19.2	13.8
ROCK CREEK	7900	02/28	22	3.2	15.2	6.8
ROCKY BASIN-SETTLEMT SEELEY CREEK R.S.	8900	03/02	60 40	18.4	18.8	23.4
SERGEANT LAKES	10000 8300	02/26 03/04	40 36	9.2 9.4	16.7 26.9	14.4
SHINGLE MILL	6200	03/04	21	7.4 5.3	2.4	14.5 7.8
SILVER LAKE(BRIGHT.)	8730	02/27	54	14.4	28.4	20.6
SMITH & MOREHOUSE	7600	02/28	30	7.8	14.8	11.4
SNOWEIRD GAD VALLEY	9700	03/04	79	27.4	42.0	28.1
SOAPSTONE R.S.	7800	03/01	_	8.0E	16.9	11.1
SPIRIT LAKE	10300	02/28	50	13.0	10.9	10.1
SQUAW SPRINGS	9300	02/25	21	3.8	7.2	6.6
STEEL CREEK PARK	10100	03/01	51	13.9	17.4	12.9
STILLWATER CAMP	8550	02/28	31	6.8	12.3	8.6
STRAWBERRY DIVIDE	8400	02/27	35	7.4	22.1	17.0
STUART R.S.	7950	02/26	26	4.2	14.1	7.4
SUSC: RANCH	8200	03/05	23	5.3	5.0	7.7
TALL POLES	8800	03/05	42	9.5	8.8	12.2

SNOW MEASUREMENT DATA (cont.)

SNOW COURSE	ELEV.	DATE	SNOW DEPTH	WATER CONTENT	LAST YEAR	AVERAGE 1961-85
THAYNES CANYON	9200	03/03	50	13.5	23.5	-
THISTLE FLAT	8500				-	13.8
TIMPANOGOS DIVIDE	8140	02/27	40	11.1	31.7	22.0
TONY GROVE LAKE	8400	02/26	54	14.3	43.8	30.9
TONY GROVE R.S.	6250	02/26	22	5.3	15.8	11.1
TRIAL LAKE	9960	02/28	48	13.4	35.3	20.6
TROUT CREEK	9400	03/01	36	7.8	10.5	8.5
UPPER JOES VALLEY	8900	02/27	32	6.2	12.7	9.6
VERNON CREEK	7500	03/01	-	4.9E	13.9	10.1
VIPONT	7670	2/27	34	7.4	18.8	13.4
WEBSTER FLAT	9200	02/22	29	7.1	12.1	15.0
WHITE RIVER #1	8550	02/26	31	5.1	17.3	11.9
WHITE RIVER #3	7400	02/26	15	3.6	8.1	7.9
WIDTSOE-ESCALANTE #3	9500	02/27	65	13.6	9.2	9.4
WRIGLEY CREEK	9000	02/26	39	6.6	12.9	9.8
YANKEE RESERVOIR	8700	02/25	42	9.5	5.8	8.0

Utah Snowpack Progress

1987




Statewide

NOTE:

Snow water equivalent in inches is compared to the highest seasonal amount (100%). Monthly averages are accumulated by basin/state.

Averages are for the period 1961-1985.



The Following Organizations Cooperate With The Soil Conservation Service In Snow Survey Work

State

Utah State University
Utah State Department of Natural Resources
Division of Wildlife Resources
Division of Water Resources
Division of Water Rights
Bear River Commissioner
Price River Commissioner
Provo River Commissioner
Sevier River Commissioners
Spanish Fork River Commissioner
Utah Lake and Jordan River Commissioner

Federal

- U.S. Department of Agriculture Soil Conservation Service Forest Service
- U.S. Department of Commerce NOAA, National Weather Service
- U.S. Department of Interior Bureau of Reclamation Geological Survey National Park Service

Municipality

Manti Salt Lake City

Public

Beaver River Water Users Association
Board of Canal Presidents - Jordan River
Central Utah Conservancy District
Emery Canal and Reservoir Company
Moon Lake Water Users Association
Ogden River Water Users Association
Provo River Water Users Association
Strawberry Water Users Association
Sevier River Water Users Association
Weber River Water Users Association
Weber Basin Conservancy District

Other organizations and individuals furnish information for the snow survey reports. Their cooperation is gratefully acknowledged.

All programs and services of U.S. Dept. of Agriculture are available to everyone without regard to race, creed, color, sex, age, handicap, or national origin.